

ERIC GIBSON

County of San Diego

DEPARTMENT OF PLANNING AND LAND USE

5201 RUFFIN ROAD, SUITE B, SAN DIEGO, CALIFORNIA 92123-1666 INFORMATION (858) 694-2960 TOLL FREE (800) 411-0017 www.sdcounty.ca.gov/dplu

MITIGATED NEGATIVE DECLARATION

Project Name: Arabshahi Minor Subdivision (2 lots)

Project Number(s): TPM 21136, STP 09-003, ER 08-08-021

This Document is Considered Draft Until it is Adopted by the Appropriate County of San Diego Decision-Making Body.

This Mitigated Negative Declaration is comprised of this form along with the Environmental Initial Study that includes the following:

- a. Initial Study Form
- b. Environmental Analysis Form and attached extended studies for noise, hazards, stormwater and fire protection.
- 1. California Environmental Quality Act Mitigated Negative Declaration Findings:

Find, that this Mitigated Negative Declaration reflects the decision-making body's independent judgment and analysis, and; that the decision-making body has reviewed and considered the information contained in this Mitigated Negative Declaration and the comments received during the public review period; and that revisions in the project plans or proposals made by or agreed to by the project applicant would avoid the effects or mitigate the effects to a point where clearly no significant effects would occur; and, on the basis of the whole record before the decision-making body (including this Mitigated Negative Declaration) that there is no substantial evidence that the project as revised will have a significant effect on the environment.

2. Required Mitigation Measures:

Refer to the attached Environmental Initial Study for the rationale for requiring the following measures:

A. TRANSPORTATION

 The payment of the Transportation Impact Fee, which will be required at issuance of building permits, in combination with other components of this program, will mitigate potential cumulative traffic impacts to less than significant.

B. NOISE

1. On the Final Parcel Map, grant to the County of San Diego a perpetual Noise Protection Easement, as shown on Tentative Parcel Map 21136. The easement shall be placed over the entire area of Parcels 1 and 2. The easement is for the mitigation of present and anticipated future excess noise levels on residential uses of the affected Parcel. [DPLU, FEE X2]

"Said Noise Protection easement requires that before the issuance of any building or grading permit for any residential use within the noise protection easement located on Parcels 1 and 2, the applicant shall":

- a. Complete to the satisfaction of the Director of the Department of Planning and Land Use, an acoustical analysis performed by a County approved acoustical engineer, demonstrating that the present and anticipated future noise levels for the interior and exterior of the residential dwelling will not exceed the allowable sound level limit of the Noise Element of the San Diego County General Plan [exterior (60 dB CNEL), interior (45 dB CNEL)]. Future traffic noise level estimates for North Centre Parkway and Interstate 15 shall use a traffic flow equivalent to a Level of Service "C" traffic flow for a Collector and Freeway that is the designated General Plan Circulation Element buildout roadway classification.
- b. Incorporate to the satisfaction of the Director of the Department of Planning and Land Use all of the recommendations or mitigation measures of the acoustical analysis into the project design and building plans.
- 3. Critical Project Design Elements That Must Become Conditions of Approval:

The following project design elements were either proposed in the project application or the result of compliance with specific environmental laws and regulations and were essential in reaching the conclusions within the attached Environmental Initial Study. While the following are not technically mitigation measures, their implementation must be assured to avoid potentially significant environmental effects.

TENTATIVE PARCEL MAP

- THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE A B. PARCEL MAP IS APPROVED BY THE COUNTY OF SAN DIEGO. DEPARTMENT OF PUBLIC WORKS, AND FILED WITH THE COUNTY RECORDER OF SAN DIEGO COUNTY:
 - 1. The Parcel Map Shall Show An Accurate And Detailed Vicinity Map.

2. ACCESS

The subdivider shall furnish to the County of San Diego, a. Department of Public Works, recorded documentation showing that the land division is connected to a publicly maintained road by an easement for road purposes. This easement shall be forty feet (40') wide as specified in Section 81.703(a) and/or (b), unless proof is furnished that a lesser width is applicable under Section 81.703(I) and/or (m) of the County Code, and shall be for the benefit and use of the property being divided. Recordation data for said easement shall be shown on the Parcel Map. This requirement applies to offsite access to all proposed parcels.

3. SIGHT DISTANCE

Prior to recordation, a registered civil engineer, a registered traffic a. engineer, or a licensed land surveyor shall provide a signed statement that physically, there is a minimum unobstructed sight distance in both directions along North Centre City Parkway from Silver Tree Lane, per Section 6.1.E of the County of San Diego Standards for Public Roads. Any vegetation currently obstructing sight distance shall be removed or cut back. If the lines of sight fall within the existing public road right-of-way, the engineer or surveyor shall further certify that said lines of sight fall within the existing right-of-way and a clear space easement is not required.

4. PRIVATE ROAD EASEMENTS

a. The Parcel Map shall show a minimum forty-foot (40') wide existing private road easement (Darling Drive) along, contiguous, and within the westerly boundary of the land division.

5. <u>SPECIAL DISTRICTS / ROAD MAINTENANCE / COVENANTS /</u> DEVELOPMENT IMPACT FEES

- a. The subdivider shall authorize Special Districts to process the project into the San Diego County Street Lighting District. After recordation of the Parcel Map, the land division shall be transferred, without notice or hearing, to Zone "A" of the San Diego County Street Lighting District. The subdivider shall cover the processing costs by paying a minimum deposit at the Land Development Counter Services.
- b. The subdivider shall provide for maintenance of the onsite and offsite private roads that serve the project through a private road maintenance agreement.

6. FACILITY/UTILITY ARRANGEMENTS

- a. Where private easement roads are not being dedicated, or where each of the proposed parcels is not on a public street, the subdivider shall provide the County of San Diego, Director of Public Works, with letters from serving utility companies stating that arrangements satisfactory to the utility have been made to serve all parcels being created. No letter will be required from AT&T/SBC.
- b. The subdivider shall comply with Section 66436 of the Government Code by furnishing to the County of San Diego, Department of Public Works, a certification from each public utility and each public entity owning easements within the proposed land division stating that: (a) they have received from the subdivider a copy of the proposed Parcel Map; (b) they object or do not object to the filing of the Map without their signature.

7. <u>FLOODING/DRAINAGE</u>

a. The drainage swale which flows through the property shall be shown and labeled "Drainage Swale" on the Parcel Map. The subdivider's civil engineer of work will provide this information by annotating the copy of the Tentative Parcel Map.

C. THE FOLLOWING IMPROVEMENTS MAY BE COMPLETED PRIOR TO RECORDING OF A PARCEL MAP OR THEY MUST BE LISTED ON THE PARCEL MAP AND THE SUBDIVIDER SHALL EXECUTE A "COVENANT OF IMPROVEMENT REQUIREMENTS" WHICH SHALL LIST THE CONDITIONS THAT REMAIN TO BE COMPLETED. THE COVENANT SHALL BE RECORDED BY THE COUNTY OF SAN DIEGO, DEPARTMENT OF PUBLIC WORKS, PRIOR TO RECORDING THE PARCEL MAP. THE COVENANT SHALL BE NOTED ON THE PARCEL MAP.

THE COVENANT OF IMPROVEMENT REQUIREMENTS SHALL NOTE THE ESTIMATE OF COST TO INSTALL AND/OR CONSTRUCT ANY DEFERRED IMPROVEMENTS.PLANS OF SUFFICIENT DETAIL SHALL BE PREPARED FOR THE PURPOSE OF PROVIDING THE REQUIRED ESTIMATE OF THE COST FOR THE PRIVATE EASEMENT ROADS AND PRIVATE FACILITIES. THE PLANS SHALL INCLUDE A SIGNED STATEMENT BY THE PRIVATE ENGINEER-OF-WORK STATING THAT THE PLANS ARE.FOR THE PURPOSE THE COSTS OF OF ESTIMATING **APPROXIMATE DEFERRED** IMPROVEMENTS. THE ESTIMATE SHALL HAVE THE ENGINEER'S SIGNATURE AND STAMP ON THE FRONT PAGE ALONG WITH A THAT IT IS THE ENGINEER'S ESTIMATE OF STATEMENT APPROXIMATE COST AS OF THE DATE THE ESTIMATE WAS PREPARED FOR THE PRIVATE ROAD AND FACILITIES REQUIRED BY THE FINAL NOTICE OF APPROVAL AND THE SAN DIEGO COUNTY STANDARDS FOR PRIVATE STREETS. SAID COVENANT SHALL BE TITLED "COVENANT OF IMPROVEMENT REQUIREMENTS, A BUILDING PERMIT PROHIBITION".

IF THE COVENANT HAS BEEN RECORDED, NO BUILDING PERMIT AND NO FURTHER GRANT OF APPROVAL FOR DEVELOPMENT MAY BE ISSUED UNTIL THE SUBDIVIDER PRESENTS A COPY OF THE RELEASE OF IMPROVEMENT REQUIREMENTS RECORDED BY THE DEPARTMENT OF PUBLIC WORKS, STATING THAT ALL OF THE REQUIRED IMPROVEMENTS LISTED IN THE COVENANT OF IMPROVEMENT REQUIREMENTS AND NOTED ON THE PARCEL MAP HAVE BEEN COMPLIED WITH, EXCEPT A GRADING OR CONSTRUCTION PERMIT AND/OR A PERMIT TO INSTALL UTILITIES WITHIN THE PRIVATE EASEMENT MAY BE ISSUED. (NOTE: FOR WATER STORAGE FACILITIES AND/OR FUEL BREAKS. A RELEASE OF IMPROVEMENT REQUIREMENTS IS ONLY REQUIRED TO STATE THAT THE IMPROVEMENTS HAVE BEEN COMPLIED WITH FOR THE PARTICULAR PARCEL FOR WHICH A BUILDING PERMIT IS BEING REQUESTED.)

1. PRIVATE ROAD IMPROVEMENTS

In the event these improvements are deferred, the subdivider shall a. execute such documents as deemed necessary by the County of San Diego, Director of Public Works, indemnifying the County from liability arising from the improvement of any off-site easement. This indemnification shall also be noted on the Parcel Map.

- b. The private easement road, Silver Tree Lane, from the southeasterly corner of Parcel 2 westerly to North Centre City Parkway, shall be graded a minimum twenty-eight feet (28') wide and improved a minimum twenty-four feet (24') wide with asphalt concrete, to the satisfaction of the Deer Springs Fire Protection District and the County Department of Public Works. Existing pavement may remain and shall be widened with asphalt concrete to provide a constant width of twenty-four feet (24'). All distressed sections shall be replaced. The Improvement and Design Standards of Section 3.1(C) of the County Standards for Private Roads for one hundred one (101) to seven hundred fifty (750) trips shall apply.
- c. Plans and a processing deposit for the private road improvements, as determined by the County of San Diego, Department of Public Works, shall be submitted to the Improvements and Grading Group of the County of San Diego, Department of Public Works. All improvement plans shall be designed in accordance with County Standards for Private Roads.
- d. Prior to construction of private road improvements, the subdivider shall notify the County of San Diego, Department of Public Works, submit copies of the blueline plans, and post an inspection deposit.
- e. A registered civil engineer or a licensed land surveyor shall provide a signed statement that: "The private easement road, Silver Tree Lane, including all slopes, from the southeasterly corner of Parcel 2 westerly to North Centre City Parkway is constructed entirely within the easement, including drainage structures, for the benefit of the land division." NOTE: If the slopes for the improvement fall outside of the easement, mitigating structures shall be utilized so the improvement is within the easement or slope rights/a letter of permission shall be obtained/granted and the engineer or surveyor shall further certify that: "Slope rights/a letter of permission has been obtained/granted for work outside of the easement limits."
- f. The structural section for the private road shall be approved by the County of San Diego, Department of Public Works Materials Laboratory, prior to construction per Section 3.11 of the San Diego County Standards for Private Roads.

- g. Asphalt concrete surfacing material shall be hand-raked and compacted to form smooth tapered connections along all edges including those edges adjacent to soil. The edges of asphalt concrete shall be hand-raked at 45 degrees or flatter, so as to provide a smooth transition next to existing soil, including those areas scheduled for shoulder backing. The above shall be done to the satisfaction of the Director of Public Works.
- A permit shall be obtained from the County of San Diego, h. Department of Public Works for the improvements to be made within the public right-of-way. The connection of the private easement road to the County road will have to match the construction of the public road. A copy of the permit, proof of payment, and evidence that all the requirements of the permit have been met shall be submitted to the Land Development Counter Services of the County of San Diego, Department of Public Works.
- The existing private easement road, Silver Tree Lane, shall either i. be posted with "NO PARKING" signs or improved with red-painted curbs marked "No Parking Fire Lane" to the satisfaction of the Deer Springs Fire Protection District. [FIRE]
- į. The existing private easement road, Silver Tree Lane, shall have an unobstructed vertical clearance of thirteen feet, six inches (13' 6") to the satisfaction of the Deer Springs Fire Protection District. [FIRE]

C. OTHER REQUIREMENTS

- The Basis of Bearings for the Parcel Map shall be in terms of the 1. California Coordinate System Zone 6 NORTH AMERICAN DATUM OF 1983 by use of existing Horizontal Control. To be in compliance with the Public Resources Code, all (Parcel) or (Subdivision) Map surveys performed after January 1, 2000 must use a Basis of Bearings established from existing Horizontal Control Stations with first order accuracy.
- 2. Prior to January 1, 2000, a survey for any Parcel Map that is to be based on state plane coordinates shall show two measured ties from the boundary of the subject property to existing Horizontal Control station(s) having California coordinate values of Third order accuracy or better, as published in the County of San Diego's Horizontal Control book. These tie lines to the existing control shall be shown in relation to the California

Coordinate System (i.e. Grid bearings and Grid distances). All other distances shown on the map are to be shown as ground distances. A combined factor for conversion of Ground-to-Grid distances shall be shown on the map, all to the satisfaction of the County of San Diego, Director of Public Works (Refer to San Diego County Subdivision Ordinance Section 81.811 and 81.506(j)).

After December 31, 1999, a survey for any Parcel Map that is to be based on state plane coordinates shall show two measured ties from the boundary of the subject property to existing Horizontal Control station(s) having California Coordinate values of first order accuracy or better, as published in the County of San Diego's Horizontal Control book. These tie lines to the existing control shall be shown in relation to the California Coordinate System (i.e. Grid bearings and Grid distances). All other distances shown on the map are to be shown as Ground distances. A combined factor for conversion of Grid-to-Ground distances shall be shown on the map.

For purposes of this section, the date of survey for the field observed connections shall be the date of survey as indicated in the surveyor's / engineer's certificate as shown on the final map.

- Comply with all applicable storm water regulations at all times. 3. activities proposed under this application are subject to enforcement under permits from the San Diego Regional Water Quality Control Board (RWQCB) and the County of San Diego Watershed Protection, Storm Water Management, and Discharge Control Ordinance (Ordinance No. 9926) and all other applicable ordinances and standards. This includes requirements for Low Impact Development (LID), materials and wastes control, erosion control, and sediment control on the project site. Projects that involve areas greater than one (1) acre require that the property owner keep additional and updated information onsite concerning storm water runoff. This requirement shall be to the satisfaction of the Director of Public Works.
- 4. All plans, if necessary, shall be in conformance with the following:
 - Sections 811.201 through 811.602 of Ordinance No. 8334 pertaining to Flood Hazards.
 - Sections 88.100 through 88.500 of Ordinance No. 3172 (amendments by Ordinances No. 5147, 5150, 5406, 5521, 5827, 6051, 7141, 7801, 7986) pertaining to Drainage and Watercourses.

• Sections 87.101 through 87.717 of Ordinance 2925 (amendments by Ordinances No. 3281, through 8691) pertaining to Excavation and Grading.

SITE PLAN

The following conditions are imposed with the granting of Site Plan STP 09-003:

- A. Prior to obtaining any building or other permit pursuant to this Site Plan, and prior to commencement of construction or use of the property in reliance on this Site Plan, the applicant shall:
 - 1. Pay off all existing deficit accounts associated with processing this application to the satisfaction of the Department of Planning and Land Use.
 - 2. Submit evidence to the satisfaction of the Director of Planning and Land Use (Building Division) that all "Prior to Use or Occupancy" conditions B.1 and B.2 of this Site Plan have been printed on a separate sheet of all building plans associated with this Site Plan: [DPLU, FEE]
 - a. The conditions shall be printed on a separate sheet of the building plans.
 - b. The Directors of Public Works or Planning and Land Use may waive this condition to allow the issuance of a grading permit. The requirement shall be met before the issuance of any building permit.
 - 3. Submit to and receive approval from the Director of Planning and Land Use a complete and detailed Landscape Plan. Landscape Plans shall be prepared by a California licensed landscape architect and shall fulfill the requirements of the Landscape Water Conservation Ordinance and Design Manual. The Landscape Plans and review fee shall be submitted to the Regulatory Planning Division, Zoning Counter. Plans shall include:
 - a. Indication of the proposed width of any adjacent public right-of-way, and the locations of any required improvements and any proposed plant materials to be installed or planted therein. The applicant shall also obtain a permit from the Department of Public Works approving the variety, location, and spacing of all trees proposed to be planted within said right(s)-of-way. A copy of this permit and a letter stating that all landscaping within the said right(s)-of-way shall

be maintained by the landowner(s) shall be submitted to the Department of Planning and Land Use.

- A complete planting plan including the names, sizes, and locations of all plant materials, including trees, shrubs, and groundcover.
 Wherever appropriate, native or naturalizing plant materials shall be used which can thrive on natural moisture. These plants shall be irrigated only to establish the plantings.
- c. A complete watering system including the location, size, and type of all backflow prevention devices, pressure and non-pressure water lines, valves, and sprinkler heads in those areas requiring permanent irrigation system. For areas of native or naturalizing plant material, the Landscape Plan shall show a method of irrigation adequate to assure establishment and growth of plants through two growing seasons.
- d. Spot elevations of the hardscape, building, and proposed fine grading of the installed landscape.
- e. The location and detail of all walls, fences, and walkways shall be shown on the plans. A lighting plan and light standard details shall be included in the plans.
- f. Additionally, the following items shall be addressed as part of the Landscape Plans:
 - Turf shall not be allowed on slopes greater than 3:1.
 Replace the proposed turf from the existing 2:1 slopes with a drought tolerant groundcover to prevent erosion.
 - 2. Identify what is proposed for the bank areas on the north and east side of the proposed residence and the area to the west between the existing slopes. All disturbed areas and bare soil shall be protected from erosion.
- B. Prior to any occupancy or use of the premises pursuant to this Site Plan, the applicant shall:
 - 1. Submit to the Director of Planning and Land Use a statement from the project California licensed landscape architect that all landscaping has been installed as shown on the approved landscape planting and irrigation plans.

- 2. Design and adjust all light fixtures to reflect light downward, away from any road or street, and away from any adjoining premises, and shall otherwise conform to Sections 6324 and 6326 of The Zoning Ordinance.
- C. The following conditions shall apply during the term of this Site Plan:
 - 1. The landscaping shall be adequately watered and well maintained at all times.
 - 2. Comply with all applicable stormwater regulations at all times. The activities proposed under this application are subject to enforcement under permits from the San Diego Regional Water Quality Control Board (RWQCB) and the County of San Diego Watershed Protection, Stormwater Management, and Discharge Control Ordinance (Ordinance No. 9926) and all other applicable ordinances and standards. This includes requirements for Low Impact Development (LID), materials and wastes control, erosion control, and sediment control on the project site. Projects that involve areas 1 acre or greater require that the property owner keep additional and updated information onsite concerning stormwater runoff. This requirement shall be to the satisfaction of the Director of Public Works.
 - 3. The project shall conform to the approved plot plan(s). Failure to conform to the approved plot plan(s); is an unlawful use of the land, and will result in enforcement action pursuant to Zoning Ordinance Section 7703.

ADOPTION STATEMENT: This Mitigated Negative Declaration was adopted and above California Environmental Quality Act findings made by the:

on			

Rich Grunow, Planning Manager Project Planning Division

EG:RG:ag